REYAN

TABLE OF CONTENTS

LIGHT&ELECTRICAL APPLIANCES

- Product size (mm)
- Wattage (w)
- Voltage (v)
- Lymen (lm)
- Color temperature (k)
- Length can be Customized
- Power supply
- Hand Induction
- Battery Operated
- Body Induction
- Vibration Induction
- Gating Induction
- Light towards 3 directions
- Light towards 2 directions
- Slot size (mm)
- Recess Mounted
- Surface Mounted
- Package

FUNCTIONAL KITCHEN FITTINGS

- Finish
- Material
- Wabinet width (mm)
- Inner cabinet width (mm)
- soft closing
- Product weight (kg)
- Package

CUTLERY TRAY

- Product size (mm)
- Wabinet width (mm)
- 产品深度 Product depth (mm)

FUNCTIONAL WARDROBE FITTINGS

- Finish
- Material
- Wabinet width (mm)
- Product size (mm)
- Soft Closing
- Product weight (kg)
- Package
- Top–mounted
- Side–mounted

FUNCTIONAL LIVING ROOM FITTINGS

- Finish
- Material
- Inner size of bed cabinet (mm)
- Mattress size (mm)
- Wattage
- Length can be Customized
- Weight Capacity (kg)
- Package

LIGHT &
ELECTRICAL APPLIANCES

CABINET LED LIGHT

LE.1103 P001	LE.1104 P001	LE.1201 P001	LE.1202 P002	LE.1301 P002
LE.1401 P002	LE.2105 P003	LE.2101 P003	LE.2103 P003	LE.2104 P004

CABINET LED STRIP LIGHT

LE.1402 P004	LE.2106 P004	LE.5101 P005	LE.5102 P005	LE.5103 P005
LE.5104 P006	LE.5105 P006	LE.5106 P006	LE.5107 P007	LE.5108 P007
LE.5109 P007	LE.5110 P008	LE.5111 P008		

LED配件　LED LIGHT ACCESSORIES

LE.2106 P009	LE.9101 P009	LE.9103 P009	LE.9401 P009	LE.9301 P009	LE.9302 P009
LE.9201 P009	LE.9202 P009	LE.9203 P010	LE.9204 P010	LE.9205 P010	LE.9206 P010
LE.9207 P010	LE.4011 P010	LE.4120 P010	LE.4130 P010		

多功能插座　MULTI-FUNCTIONAL SOCKET

LE.1021 P011	LE.2021 P011	LE.2022 P011	LE.1011 P011	LE.2011 P011	LE.3011 P011

Dimensional data not binding, We reserve the right to alter specifications without notice.

CABINET LED LIGHT

LE.1103
create with topcent

mm		W	V	lm		
Φ65　9 mm	Engineering Plastic+Aluminium	0.5 W	DC 5V	62 LM	Power Supply	100 pcs/ctn

LE.1104
create with topcent

mm		W	V	lm		
Φ62 × 12.5 mm	Engineering Plastic+Aluminium	0.5 W	DC 37V	50 LM	Power Supply	50 pcs/ctn

LE.1201
create with topcent

mm		W	V	lm		
Φ89.2 × 69.4 × 32 mm	Engineering Plastic+Aluminium	3.0 W	DC 12V	280 LM	Gatina Induction	100 pcs/ctn

CABINET LED LIGHT

LE.1202
create with topcent

mm		W	V	lm		
180 × 40 × 10 mm	Engineering Plastic+Aluminium	2.5 W	DC 12V	165 LM	门控感应 Gatina Induction	50 pcs/ctn

LE.1301
create with topcent

mm		W	V	lm		
100 × 35 × 22 mm	Engineering Plastic+Aluminium	1 W	DC 5V	165 mm	Vibrating Induction	100 pcs/ctn

LE.1401
create with topcent

mm		W	V	lm		
190 × 110 × 10.6 mm	Engineering Plastic+Aluminium	6.0 W	DC 12V	450 LM	Hand Induction	100 pcs/ctn

CABINET LED LIGHT

LE.2105
create
with
topcent

mm		W	V	lm		
77 19 mm	Engineering Plastic+Aluminium	0.5 W	DC 5V	62 LM	Body Induction	100 pcs/ctn

LE.2101
create
with
topcent

mm		W	V	lm		
79 79 15 mm	Engineering Plastic+Aluminium	0.5 W	DC 37V	50 LM	Body Induction	50 pcs/ctn

LE.2103
create
with
topcent

mm		W	V	lm		
Φ70 × 21.5 mm	Engineering Plastic+Aluminium	1.0 W	DC 5V	110 LM	Body Induction	100 pcs/ctn

CABINET LED LIGHT

LE.2104
create
with
topcent

mm		W	V	lm		
150 × 65 × 14 mm	Engineering Plastic+Aluminium	1.0 W	DC 57V	85 LM	Body Induction	100 pcs/ctn

LE.1402
create
with
topcent

mm		W	V	lm		
600 × 45 × 12.2 mm	Engineering Plastic+Aluminium	8.0 W	DC 12V	560 LM	Hand Induction	25 pcs/ctn

LE.2106
create
with
topcent

mm		W	V	lm		
550 × 42 × 19 mm	Engineering Plastic+Aluminium	5.0 W	DC 12V	215 LM	Body Induction	48 pcs/ctn

CABINET LED STRIP LIGHT

LE.5101
create
with
topcent

mm		W	V	
500~3000 mm	Engineering Plastic + Aluminium	4.6 27.6 W	DC 12V	50 pcs/ctn
k				
3000/4500 K	Power Supply	Surface Mounted	Customizable Lengths	

LE.5102
create
with
topcent

mm		W	V	
500~3000 mm	Engineering Plastic + Aluminium	9.2 55.3 W	DC 12V	50 pcs/ctn
k				
3000/4500 K	Power Supply	Surface Mounted	Customizable Lengths	

LE.5103
create
with
topcent

mm		W	V	
500~3000 mm	Engineering Plastic + Aluminium	4.6~27.6 W	DC 12V	50 pcs/ctn
k			+mm+	
3000/4500 K	Power Supply	Recess Mounted	10 14.5 mm	Customizable Lengths

CABINET LED STRIP LIGHT

LE.5104
create
with
topcent

mm		W	V	
500~3000 mm	Engineering Plastic + Aluminium	4.6 27.6 W	DC 12V	50 pcs/ctn
k				
3000/4500 K	Power Supply	Surface Mounted	Customizable Lengths	

LE.5105
create
with
topcent

mm		W	V	
500~3000 mm	Engineering Plastic + Aluminium	4.6 27.6 W	DC 12V	50 pcs/ctn
k				
3000/4500 K	Power Supply	Surface Mounted	Customizable Lengths	

LE.5106
create
with
topcent

mm		W	V	
500~3000 mm	Engineering Plastic + luminium	4.6 27.6 W	DC 12V	50 pcs/ctn
k				
3000/4500 K	Power Supply	Surface Mounted	Customizable Lengths	

LIGHTING & ELECTRICAL APPLIANCES

CABINET LED STRIP LIGHT

LE.5107
create with topcent

500–3000 mm	Engineering Plastic + Aluminium	4.6 27.6 W	DC 12V	50 pcs/ctn
3000/4500 K	Power Supply	Surface Mounted	Customizable Lengths	

LE.5108
create with topcent

500–3000 mm	Engineering Plastic + Aluminium	4.6 27.6 W	DC 12V	50 pcs/ctn
3000/4500 K	Power Supply	Recess Mounted		Customizable Lengths

LE.5109
create with topcent

500–3000 mm	Engineering Plastic + Aluminium	4.6 27.6 W	DC 12V	50 pcs/ctn
3000/4500 K	Power Supply	Surface Mounted	Customizable Lengths	

CABINET LED STRIP LIGHT

LE.5110
create with topcent

500–3000 mm	Engineering Plastic + Aluminium	4.6 27.6 W	DC 12V	50 pcs/ctn
3000/4500 K	Power Supply	Surface Mounted	Customizable Lengths	

LE.5111
create with topcent

500–3000 mm	Engineering Plastic + Aluminium	4.6 27.6 W	DC 12V	50 pcs/ctn
3000/4500	Power Supply	Surface Mounted	Customizable Lengths	

LIGHTING & ELECTRICAL APPLIANCES

LED LIGHT ACCESSORIES

LE.2106
Create with topcent

Size：130×48.5×18.5 mm
Power：15w
Voltage：DC12v

100 pcs/ctn

LE.9101
Create with topcent

Size：130×48.5×18.5 mm
Power：60 w
Voltage：DC12 v

72 pcs/ctn

LE.9103
Create with topcent

Size：145×68×19.5 mm
Power：60 w
Voltage：DC12 v

72 pcs/ctn

LE.9401
Create with topcent

Size：500×12×8 mm
Material：ABS

10 pcs/ctn

LE.9301
Create with topcent

Size：58×38×9.5 mm
Power：60 w
Voltage：DC12 v

30 pcs/ctn

LE.9302
Create with topcent

Size：2500mm
Power：60 w
Voltage：DC12 v

30 pcs/ctn

LE.9201
Create with topcent

Sensor：Φ20x15 mm
Max.Power：65x13x9 mm
Length：2.6 mm
Max.Power：24 w
Output voltage：12 v

250 pcs/ctn

LE.9202
Create with topcent

Sensor：Φ20x15 mm
Max.Power：65x13x9 mm
Length：2.6 mm
Max.Power：24 w
Output voltage：12 v

250 pcs/ctn

LED LIGHT ACCESSORIES

LE.9203
Create with topcent

Sensor：Φ20x21 mm
Max.Power：65x13x9 mm
Length：2.6 mm
Max.Power：24 w
Output voltage：12 v

250 pcs/ctn

LE.9204
Create with topcent

Size：130×48.5×18.5 mm
Max.Power：48 w
Output voltage：DC12 v

30 pcs/ctn

LE.9205
Create with topcent

Size：27×18×18 mm
Max.Power：48 w
Output voltage：DC12 v

30 pcs/ctn

LE.9206
Create with topcent

Size：130×48.5×18.5 mm
Max.Power：48 w
Output voltage：DC12 v

30 pcs/ctn

LE.9207
Create with topcent

Size：27×18×18 mm
Max.Power：48 w
Output voltage：DC12 v

30 pcs/ctn

LE.4110
Create with topcent

Size：Φ20x15mm
Output voltage：12V-23A

200 pcs/ctn

LE.4120
Create with topcent

Size：157.08x16.18mm
Output voltage：3.7v

200 pcs/ctn

LE.4130
Create with topcent

Size：80x25 mm
Max.Power：0.36 w
Output voltage：dc 4.5v

260 pcs/ctn

LIGHTING & ELECTRICAL APPLIANCES

MULTI-FUNCTIONAL SOCKET

MB.1021
Create
with
topcent

Material：Aluminium Alloy
+ ABS
Finish：Silver/Black

MB.2021
Create
with
topcent

Material：Aluminium Alloy
+ ABS
Finish：Silver/Black

MB.2022
Create
with
topcent

Material：Aluminium Alloy
+ ABS
Finish：Brushed Silver
/Brushed Black

MB.1011
Create
with
topcent

Material：Aluminium Alloy
+ ABS
Finish：Brushed Silver
/Brushed Black

MB.2011
Create
with
topcent

Material：Aluminium Alloy + ABS
Finish：Silver/Black
Standard Accessories: Univeral socket/
USB port/Bluetooth speaker

WIRELESS CHARGER

MB.3011
Create
with
topcent

Material：ABS+PC
Finish：Black

250 pcs/ctn

FUNCTIONAL
KITCHEN FITTINGS

KITCHEN PULL OUT DRAWER BASKET

BK.1201 P16	BK.1202 P18	BK.1203 P20	BK.2201 P22	BK.2202 P23	BK.2203 P26	BK.2301 P28	BK.2302 P29

BK.2401 P32	BK.2402 P34	BK.2403 P36	BK.3101 P38	BK.3102 P38

KITCHEN PULL OUT DRAWER BASKET (SOFT CLOSING)

BK.3201 P40	BK.3202 P40	BK.3401 P42	BK.3402 P43	BK.3403 P46

MULTIFUNCTIONAL PULL OUT DRAWER BASKET

BK.4010 P48	BK.4018 P49	BK.4027 P52	BK.4036 P54	BK.4118 P56	BK.4127 P58	BK.4136 P60	BK.5080 P62

BK.5090 P64	BK.6109 P66

PULL-OUT TANDEM PANTRY   OTHER KITCHEN FITTINGS

BK.7030&7040 P68	BK.7045&7060 P70	BK.7090 P72	BK.7145&7160 P74	BK.8010 P76	BK.8020 P78

BK.8030 P80	BK.9010 P81

Dimensional data not binding, We reserve the right to alter specifications without notice.

KITCHEN DRAWER BASKET

BK.1201
create with topcent

Steel/ Stainless Steel	Chrome plated/Primary Color	L430 × W160 × H440 mm	200 mm	-----	2 2 sets/ctn
		L430 × W115 × H440 mm	150 mm	-----	

SIDE KITCHEN BASKET

BK.1202
create with topcent

Steel/ Stainless Steel	Chrome plated/Primary Color	L450 × W240 × H430 mm	300 mm	-----	2 sets/ctn
		L450 × W140 × H430 mm	200 mm	-----	
		L450 × W110 × H430 mm	150 mm	-----	

SIDE KITCHEN BASKET

BK.1203 create with topcent					
Steel/ Stainless Steel	Chrome plated/Primary Color	L480 × W240 × H550 mm	300 mm		
		L480 × W160 × H550 mm	200 mm		2 sets/ctn
		L480 × W110 × H550 mm	150 mm		

KITCHEN DRAWER BASKET

		mm	mm		
Steel/ Stainless Steel	Chrome plated/Primary Color	L460 × W360 × H510 mm	400 mm	----	1 set/ctn
		L460 × W295 × H495 mm	350 mm	----	
		L460 × W245 × H495 mm	300 mm	----	

KITCHEN DRAWER BASKET

BK.2202
create
with
topcent

		mm	mm	kg	
Steel/ Stainless Steel	Chrome plated/Primary Color	L430 × W360 × H440 mm	400 mm	––––	1 set/ctn
		L430 × W290 × H440 mm	350 mm	––––	
		L430 × W240 × H440 mm	300 mm	––––	

KITCHEN DRAWER BASKET

BK.2203
create
with
topcent

Steel/ Stainless Steel	Chrome plated/Primary Color	mm	mm		
		L430 × W360 × H440 mm	400 mm	————	
		L430 × W290 × H440 mm	350 mm	————	1 set/ctn
		L430 × W240 × H440 mm	300 mm	————	

SIDE KITCHEN BASKET

BK.2301

create
with
topcent

		mm	mm		
Steel/Stainless Steel	Chrome plated /Primary Color	L440 × W110 × H520 mm	150 mm	-----	1 set/ctn
		L440 × W160 × H520 mm	200 mm	-----	
		L440 × W260 × H520 mm	300 mm	-----	
		L440 × W360 × H520 mm	400 mm	-----	

SIDE KITCHEN BASKET

BK.2302

create
with
topcent

Steel/Stainless Steel	Chrome plated /Primary Color	mm	mm		1 set/ctn
		L460 × W245 × H510 mm	300 mm	————	
		L460 × W295 × H510 mm	350 mm	————	
		L460 × W360 × H510 mm	400 mm	————	

KITCHEN DRAWER BASKET

BK.2401

create
with
topcent

Steel/Stainless Steel	Chrome plated/Primary Color	L430 × W210 × H440 mm	250 mm	----	1 set/ctn

KITCHEN DRAWER BASKET

BK.2402
create with topcent

Steel/Stainless Steel	Chrome plated/Primary Color	L430 × W160 × H440 mm	200 mm	————	1 set/ctn

KITCHEN DRAWER BASKET

BK.2403
create
with
topcent

		mm	mm	kg	
Steel/Stainless Steel	Chrome plated/Primary Color	L430 × W110 × H440 mm	150 mm	----	1 set/ctn

BK.3101
create with topcent

BK.3102
create with topcent

KITCHEN DRAWER BASKET

BK.3101
create
with
topcent

Steel/Stainless Steel	镀铬/原色 Chrome plated /Primary Color	L410 × W(290~790) × H140 mm	400~900 mm	----	2 sets/ctn

KITCHEN DRAWER BASKET

BK.3102
create
with
topcent

Steel/Stainless Steel	Chrome plated /Primary Color	L410 × W(490~790) × H140 mm	600~900 mm	----	2 sets/ctn

BK.3201
create
with
topcent

BK.3202
create
with
topcent

KITCHEN DRAWER BASKET

BK.3201
create
with
topcent

BK.3202
create
with
topcent

Stainless Steel	Primary Color	L425 × W564 × H168 mm	600 mm	————	
		L425 × W664 × H168 mm	700 mm	————	
		L425 × W764 × H168 mm	800 mm	————	2 sets/ctn
		L425 × W864 × H168 mm	900 mm	————	

KITCHEN DRAWER BASKET

BK.3401
create with topcent

		mm	mm		
Stainless Steel	Primary Color	L425 × W250 × H457 mm	300 mm	----	2 sets/ctn
		L425 × W300 × H457 mm	350 mm	----	
		L425 × W350 × H457 mm	400 mm	----	

KITCHEN DRAWER BASKET

BK.3402
create
with
topcent

Stainless Steel	Primary Color	L425 × W350 × H475 mm	400 mm	————	2 sets/ctn
		L425 × W300 × H475 mm	350 mm	————	

KITCHEN DRAWER BASKET

BK.3403
create with topcent

Stainless Steel	Primary Color	L425 × W150 × H475 mm	200 mm	----	2 sets/ctn

SWING TRAYS

BK.4010
create
with
topcent

Steel	Chrome Plated	H600~750 × D500mm	900 mm	____	1set/ctn

| 180 | 180° CIRCLE REVOLVING BASKET |

BK.4018

create with topcent

| Steel | Chrome Plated | Φ720 × H(580−900)mm | 800 mm | ———— | 1set/ctn |

CIRCLE REVOLVING BASKET

BK.4027
create
with
topcent

Steel	Chrome plated	mm	mm		
		Φ620 × H(580−900)mm	700 mm	-----	
		Φ720 × H(580−900)mm	800 mm	-----	1set/ctn

360° CIRCLE REVOLVING BASKET

BK.4036
create
with
topcent

Steel	Chrome plated	Φ520 × H(580–900)mm	600 mm	----	1set/ctn
		Φ620 × H(580–900)mm	700 mm	----	
		Φ720 × H(580–900)mm	800 mm	----	

180° CIRCLE REVOLVING BASKET

Steel	Chrome plated	Φ735 × H(580−900)mm	800 mm	----	1set/ctn

270° CIRCLE REVOLVING BASKET

BK.4127
create with topcent

Steel	Chrome plated	Φ600 × H(580−900)mm	700 mm	────	1set/ctn
		Φ715 × H(580−900)mm	800 mm	────	

360° CIRCLE REVOLVING BASKET

BK.4136
create
with
topcent

		mm	mm	kg	
Steel	Chrome plated	Φ510 × H(580−900)mm	600 mm	----	1set/ctn
		Φ610 × H(580−900)mm	700 mm	----	
		Φ715 × H(580−900)mm	800 mm	----	

MAGIC CORNER TRAY BASKET

BK.5080
create
with
topcent

Stainless Steel	Primary Color	D480 × W(860~960) × H560mm	900~1000mm	----	1set/ctn

MAGIC CORNER WIRE BASKET

BK.5090

create
with
topcent

Steel	Chrome plated	L480 × W(860–900) × H560mm mm	900–1000mm mm	----	1set/ctn

PULL DOWN PANTRY

BK.6109

create with topcent

Steel	Chrome Plated	L280 × W565 × H560 mm	600mm	____	1 set/ctn
		L280 × W665 × H560 mm	700mm	____	
		L280 × W765 × H560 mm	800mm	____	
		L280 × W865 × H560 mm	900mm	____	

TALL PULL-OUT PANTRY

BK.7030 create with topcent **BK.7040** create with topcent

		mm	mm		
Steel	Chrome Plated	L450 × W360 × H(1750~1950)	400 mm (4层-4Layers)	-----	1 set/ctn
		L450 × W360 × H(1750~1950)	400 mm (5层-5Layers)	-----	
		L450 × W360 × H(1750~1950)	400 mm (6层-6Layers)	-----	
		L450 × W240 × H(1750~1950)	300 mm (4层-4Layers)	-----	
		L450 × W240 × H(1750~1950)	300 mm (5层-5Layers)	-----	
		L450 × W240 × H(1750~1950)	300 mm (6层-6Layers)	-----	

PULL-OUT TANDEM PANTRY

BK.7045 create with topcent

BK.7060 create with topcent

		mm	mm		
		414×500×（1150-1350）	450 mm (4层-4Layers)	----	
		414×500×（1250-1550）	450 mm (5层-5Layers)	----	
		414×500×（1650-1950）	450 mm (6层-6Layers)	----	
		414×500×（1850-2150）	450 mm (6层-6Layers加高)	----	
Steel	Chrome Plated	564×500×（1150-1450）	600 mm (4层-4Layers)	----	2 sets/ctn
		564×500×（1250-1550）	600 mm (5层-5Layers)	----	
		564×500×（1650-1950）	600 mm (6层-6Layers)	----	
		564×500×（1850-2150）	600 mm(6层-6Layers加高)	----	

PULL−OUT TANDEM PANTRY

BK.7090

create
with
topcent

Steel	Chrome Plated	D500 × W860 × H(1800−2200)	900mm	−−−−	2 sets/ctn

PULL-OUT TANDEM PANTRY

BK.7145 create with topcent	**BK.7160** create with topcent				

▣	▨	▭ mm	▣ mm	🔒	▤
Stainless Steel	Primary	414×500×(1150-1350)	450 mm (4层-4Layers)	----	2 sets/ctn
		414×500×(1250-1550)	450 mm (5层-5Layers)	----	
		414×500×(1650-1950)	450 mm (6层-6Layers)	----	
		414×500×(1850-2150)	450 mm (6层-6Layers加高)	----	
		564×500×(1150-1450)	600 mm (4层-4Layers)	----	
		564×500×(1250-1550)	600 mm (5层-5Layers)	----	
		564×500×(1650-1950)	600 mm (6层-6Layers)	----	
		564×500×(1850-2150)	600 mm(6层-6Layers加高)	----	

SS CABINET DRAINING DISH RACK

BK.8010
create with topcent

201 Stainless Steel	Primary Color	L280 × W365 × H65 mm	400 mm	-----	5 sets/ctn
		L280 × W465 × H65 mm	500 mm	-----	
		L280 × W565 × H65 mm	600 mm	-----	
		L280 × W665 × H65 mm	700 mm	-----	
		L280 × W765 × H65 mm	800 mm	-----	
		L280 × W865 × H65 mm	900 mm	-----	
		L280 × W965 × H65 mm	1000 mm	-----	

SS DESKTOP DRAINING RACK

BK.8020
create
with
topcent

201 Stainless Steel	Primary Color	L280 × W405 × H402 mm	450 mm	————	5 sets/ctn
		L280 × W455 × H402 mm	500 mm	————	
		L280 × W555 × H402 mm	600 mm	————	

SS DESKTOP DRAINING RACK

BK.8030
create with topcent

201 Stainless Steel	Primary Color	L240 × W432 × H340 mm	450 mm	----	5 sets/ctn
		L240 × W482 × H340 mm	500 mm	----	
		L240 × W582 × H340 mm	600 mm	----	

TRASH BINS

BK.9010

create
with
topcent

		mm	mm		
Plastic	White/Grey	L510 × W340 × H330(15L × 2)mm	400 mm	————	
		L490 × W340 × H385(18L × 2)mm	400 mm	————	1 set/ctn
		L490 × W340 × H430(20L × 2)mm	400 mm	————	

CUTLERY TRAY

SERIES A

CT.0101 P085	CT.0102 P085	CT.0103 P085	CT.0104 P086	CT.0105 P086	CT.0106 P086	CT.0107 P086	CT.0108 P086	CT.0109 P086

SERIES B

CT.0110 P087	CT.0111 P087	CT.0201 P088	CT.0202 P088	CT.0203 P088	CT.0204 P089	CT.0205 P089	CT.0206 P089	CT.0207 P089

SERIES C

CT.0301 P090	CT.0302 P090	CT.0303 P090	CT.0304 P091	CT.0305 P091	CT.0306 P091	CT.0307 P091	CT.0308 P091	P089

SERIES D / SERIES E

CT.0401 P092	CT.0402 P092	CT.0403 P092	CT.0404 P093	CT.0405 P093	CT.0501 P094	CT.0502 P094	CT.0503 P094

SERIES F / SERIES G / SERIES H

CT.0601 P095	CT.0602 P095	CT.0603 P095	CT.0701 P096	CT.0702 P096	CT.0703 P096	CT.0801 P097	CT.0802 P097	CT.0803 P097

SERIES I

CT.0901 P098	CT.0902 P098	CT.0903 P098	CT.0904 P099	CT.0905 P099	CT.0906 P099	CT.0907 P099	CT.0908 P099	CT.0909 P099

SERIES J

CT.1101 P100	CT.1102 P100	CT.1103 P100	CT.1104 P100	CT.1105 P100	CT.1106 P100

SERIES K

CT.1001 P101	CT.1002 P101	CT.1003 P101	CT.1004 P102	CT.1005 P102	CT.1006 P102	CT.1007 P102

CUTLERY TRAY

CUTLERY TRAY(INJECTION MOULDED)

CT.0104
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 500 mm

mm	mm
450 x 480 mm(max)	50 mm
370 x 420 mm(min)	50 mm

CT.0105
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 600 mm

mm	mm
550 x 480 mm(max)	50 mm
480 x 420 mm(min)	50 mm

CT.0106
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 650 mm

mm	mm
630 x 490 mm(max)	50 mm
590 x 420 mm(min)	50 mm

CT.0101
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 300 mm

mm	mm
390 x 550 mm(max)	50 mm
280 x 430 mm(min)	50 mm

CT.0102
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 400 mm

mm	mm
390 x 485 mm(max)	50 mm
320 x 420 mm(min)	50 mm

CT.0103
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 450 mm

mm	mm
390 x 485 mm(max)	50 mm
320 x 420 mm(min)	50 mm

CT.0107
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 700 mm

mm	mm
630 x 550 mm(max)	50 mm
560 x 420 mm(min)	50 mm

CT.0108
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 800 mm

mm	mm
740 x 480 mm(max)	50 mm
680 x 420 mm(min)	50 mm

CT.0109
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 850 mm

mm	mm
740 x 550 mm(max)	50 mm
640 x 420 mm(min)	50 mm

CUTLERY TRAY

CUTLERY TRAY(INJECTION MOULDED)

CT.0110
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 900 mm

D480~440mm
W840~790mm
50mm

840 x 480 mm(max)	50 mm
790 x 440 mm(min)	50 mm

CT.0111
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 1000 mm

D550~440mm
W950~790mm
50mm

950 x 550 mm(max)	50 mm
790 x 440 mm(min)	50 mm

CT.0201
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 400 mm

D480~410mm
W360~260mm
50mm

360 x 480 mm(max)	50 mm
260 x 410 mm(min)	50 mm

CT.0202
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 450 mm

D480~410mm
W390~320mm
50mm

390 x 480 mm(max)	50 mm
320 x 410 mm(min)	50 mm

CT.0203
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 500 mm

D480~410mm
W440~360mm
50mm

| 440 x 480 mm(max)	50 mm
360 x 410 mm(min)	50 mm

CUTLERY TRAY

CUTLERY TRAY(INJECTION MOULDED)

CT.0204
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 600 mm

530 x 480 mm(max)	50 mm
460 x 410 mm(min)	50 mm

CT.0205
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 700 mm

| 630 x 480 mm(max)	50 mm
560 x 410 mm(min)	50 mm

CT.0206
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 800 mm

730 x 480 mm(max)	50 mm
660 x 410 mm(min)	50 mm

CT.0207
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 900 mm

830 x 480 mm(max)	50 mm
760 x 410 mm(min)	50 mm

create with topcent

ABS   Material: ABS
Finish: Grey / White

143 mm(max)	40 mm
95 mm(min)	40 mm

CT.0301
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 400 mm

335 x 550 mm(max)	55 mm
320 x 420 mm(min)	55 mm

CT.0302
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 450 mm

370 x 550 mm(max)	55 mm
340 x 440 mm(min)	55 mm

CT.0303
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 500 mm

430 x 550 mm(max)	55 mm
380 x 440 mm(min)	55 mm

CUTLERY TRAY

CUTLERY TRAY(INJECTION MOULDED)

CT.0304
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 600 mm

D530~440mm
W550~480mm
55mm

mm	mm
550 x 530 mm(max)	55 mm
480 x 440 mm(min)	55 mm

CT.0305
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 700 mm

D550~440mm
W630~580mm
55mm

mm	mm
630 x 550 mm(max)	55 mm
580 x 440 mm(min)	55 mm

CT.0306
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 800 mm

D550~440mm
W730~580mm
55mm

mm	mm
730 x 550 mm(max)	55 mm
580 x 440 mm(min)	55 mm

CT.0307
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 900 mm

D550~440mm
W830~680mm
55mm

mm	mm
830 x 550 mm(max)	55 mm
680 x 440 mm(min)	55 mm

CT.0308
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 1000 mm

D550~440mm
W930~880mm
55mm

mm	mm
930 x 550 mm(max)	55 mm
880 x 440 mm(min)	55 mm

CT.0401
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 300 mm

D500~380mm
W280~190mm
45mm

mm	mm
280 x 500 mm(max)	45 mm
190 x 380 mm(min)	45 mm

CT.0402
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 400 mm

D500~380mm
W350~290mm
45mm

mm	mm
350 x 500 mm(max)	45 mm
290 x 380 mm(min)	45 mm

CT.0403
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 450 mm

( )

D500~380mm
W400~340mm
45mm

mm	mm
400 x 500 mm(max)	45 mm
340 x 380 mm(min)	45 mm

CUTLERY TRAY(INJECTION MOULDED)

CT.0404
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 500 mm

mm		mm
450 x 500 mm(max)		45 mm
390 x 380 mm(min)		45 mm

CT.0405
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 600 mm

mm		mm
550 x 500 mm(max)		45 mm
490 x 380 mm(min)		45 mm

CT.0501
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 400 mm

mm		mm
390 x 490 mm(max)		50 mm
360 x 440 mm(min)		50 mm

CT.0502
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 600 mm

mm		mm
540 x 490 mm(max)		45 mm
510 x 440 mm(min)		45 mm

CT.0503
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 900 mm

mm		mm
840 x 490 mm(max)		40 mm
810 x 440 mm(min)		40 mm

CUTLERY TRAY(INJECTION MOULDED)

CT.0604
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 600 mm

mm	mm
540 x 485 mm(max)	50 mm
480 x 420 mm(min)	50 mm

CT.0601
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 300 mm

mm	mm
290 x 485 mm(max)	50 mm
180 x 440 mm(min)	50 mm

CT.0602
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 350 mm

mm	mm
300 x 485 mm(max)	50 mm
230 x 440 mm(min)	50 mm

CT.0603
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 400 mm

mm	mm
390 x 485 mm(max)	50 mm
330 x 420 mm(min)	50 mm

CT.0701
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 500 mm

mm	mm
535 x 360 mm(max)	50 mm
505 x 335 mm(min)	50 mm

CT.0702
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 600 mm

mm	mm
520 x 430 mm(max)	60 mm
500 x 405 mm(min)	60 mm

CT.0703
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 900 mm

mm	mm
820 x 420 mm(max)	60 mm
790 x 405 mm(min)	60 mm

CUTLERY TRAY

CT.0801
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 400 mm

CT.0802
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 500 mm

CT.0803
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 600 mm

	mm		mm
310 x 450 mm(max)		55 mm	
240 x 360 mm(min)		55 mm	

	mm		mm
410 x 450 mm(max)		55 mm	
340 x 360 mm(min)		55 mm	

	mm		mm
510 x 450 mm(max)		55 mm	
440 x 360 mm(min)		55 mm	

CT.0901
create with topcent

Material: ABS
Finish: Grey / White

CT.0902
create with topcent

Material: ABS
Finish: Grey / White

CT.0903
create with topcent

Material: ABS
Finish: Grey / White

	mm		mm
230 x 355 mm(max)		50 mm	
215 x 345 mm(min)		50 mm	

	mm		mm
225 x 440 mm(max)		60 mm	
215 x 430 mm(min)		60 mm	

	mm		mm
330 x 360 mm(max)		50 mm	
315 x 340 mm(min)		50 mm	

CUTLERY TRAY

CUTLERY TRAY(INJECTION MOULDED)

CT.0904
create with topcent

Material: ABS
Finish: Grey / White

mm	mm
370 x 440 mm(max)	70 mm
365 x 430 mm(min)	70 mm

CT.0905
create with topcent

Material: ABS
Finish: Grey / White

mm	mm
290 x 360 mm(max)	50 mm
270 x 340 mm(min)	50 mm

CT.0906
create with topcent

Material: ABS
Finish: Grey / White

mm	mm
250 x 340 mm(max)	65 mm
235 x 335 mm(min)	65 mm

CT.0907
create with topcent

Material: ABS
Finish: Grey / White

mm	mm
300 x 350 mm(max)	65 mm
290 x 335 mm(min)	65 mm

CT.0908
create with topcent

Material: ABS
Finish: Grey / White

mm	mm
340 x 350 mm(max)	65 mm
335 x 335 mm(min)	65 mm

CT.0909
create with topcent

Material: ABS
Finish: Grey / White

mm	mm
410 x 350 mm(max)	65 mm
385 x 335 mm(min)	65 mm

## CUTLERY TRAY(INJECTION MOULDED)

CT.1101
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 450 mm

mm	mm
390 x 485 mm(max)	55 mm
340 x 440 mm(min)	55 mm

CT.1102
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 500 mm

mm	mm
435 x 485 mm(max)	55 mm
380 x 440 mm(min)	55 mm

CT.1103
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 600 mm

mm	mm
540 x 485 mm(max)	55 mm
485 x 440 mm(min)	55 mm

CT.1104
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 700 mm

mm	mm
635 x 485 mm(max)	55 mm
580 x 440 mm(min)	55 mm

CT.1105
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 800 mm

| mm	mm
735 x 485 mm(max)	55 mm
680 x 440 mm(min)	55 mm

CT.1106
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 900 mm

mm	mm
830 x 485 mm(max)	55 mm
790 x 440 mm(min)	55 mm

CUTLERY TRAY

## CUTLERY TRAY(INJECTION MOULDED)

CT.1004
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 600 mm

mm	mm
530 x 485 mm(max)	50 mm
480 x 410 mm(min)	50 mm

CT.1005
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 700 mm

mm	mm
640 x 490 mm(max)	50 mm
580 x 410 mm(min)	50 mm

CT.1006
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 800 mm

mm	mm
730 x 490 mm(max)	50 mm
670 x 410 mm(min)	50 mm

CT.1001
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 400 mm

mm	mm
330 x 485 mm(max)	50 mm
285 x 410 mm(min)	50 mm

CT.1002
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 450 mm

mm	mm
380 x 485 mm(max)	50 mm
335 x 410 mm(min)	50 mm

CT.1003
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 500 mm

mm	mm
435 x 485 mm(max)	50 mm
380 x 410 mm(min)	50 mm

CT.1007
create with topcent

Material: ABS
Finish: Grey / White
Applicable Cabinet: 900 mm

mm	mm
840 x 490 mm(max)	50 mm
780 x 410 mm(min)	50 mm

FUNCTIONAL
WARDROBE FITTINGS

CLOTHING HANGER

| MA.5401 P106 | MA.1110 P107 | MA.1210 P107 | MA.5501 P108 | MA.5503 P108 | MA.5502 P110 | MA.5504/5 P109 | MA.5101 P110 |

TROUSERS RACK

| MA.1301 P112 | MA.1201 P116 | MA.1101 P114 | MA.1109 P117 | MA.1209 P117 | MA.1108 P118 | MA.1208 P118 | MA.1207/1107 P119 |

TROUSERS RACK + STEEL BASKET

| MA.1306 P121 | MA.1112 P124 | MA.1307 P126 | MA.1106 P128 |

PULL-OUT CLOTHES BASKET

| MA.1302 P130 | MA.1104 P132 | MA.1303 P133 | MA.1102 P130 | MA.1202 P138 |
| MA.5701 P140 | MA.1205 P142 | MA.1111 P144 | MA.1305 P146 | MA.1113 P148 |

SHOES RACK

| MA.5601 P149 | MA.1304 P151 | MA.1103 P154 | MA.1203 P156 | MA.1204 P158 | FE.8101/2 FE.7101/2/3 P159/160 |

CONCEALED SAFF BOX   IRONING BOARD   SLIDING MIRROR

| MA.5801/2 P120 | MA.5201 P120 | MA.5302 P162 | MA.5301 P164 |

Dimensional data not binding, We reserve the right to alter specifications without notice.

WARDROBE LIFT

MA.5401

create
with
topcent

⬚	⬚	mm	mm	⬚	⬚
Aluminum alloy+ABS+ spring	Slive/Black	450~600 mm	>550 mm	16.1 Kg	6 sets/ctn
		600~830 mm	>700 mm	16.3 Kg	
		830~1150 mm	>930 mm	16.5 Kg	

CLOTHES RACK

MA.1110
create with topcent

Aluminum alloy+Steel	White/Grey	115 × 455 × 115 mm	Top-Mounted	2.4 Kg	1 set/ctn

CLOTHES RACK

MA.5501
create with topcent

Steel	Chrome Plated	250/300/350 400/450/500 mm	Top-Mounted		60/80 set/ctn

MA.1210
create with topcent

Aluminum allloy+Steel	White	74 × 455 × 115 mm	Top-Mounted	1.8 Kg	1 set/ctn

MA.5503
create with topcent

Steel	Chrome Plated	250/300/350 400/450/500 mm	Top-Mounted		24/32set/ctn

ADJUSTABLE CLOTHES RACK

MA.5505
create
with
topcent

Stainless Steel	Satin	5-Hole to 10-Hole	Top-Mounted	----	10 pcs/box 40 pcs/ctn

CLOTHES RACK

MA.5502
create
with
topcent

Steel+Plastic	Chrome Plated	250/300/350 400/450/500 mm	Top-Mounted	30/50set/ctn

ADJUSTABLE CLOTHES RACK

MA.5504
create
with
topcent

Steel	Chrome Plated	5-Hole to 10-Hole	Top-Mounted	----	10 pcs/box 40 pcs/ctn

TIE RACK

MA.5101
create
with
topcent

Steel+Plastic	White/Grey	83 × 450 × 102 mm	Side-Mounted	7.0 Kg	1 0set/ctn

TROUSERS RACK

MA.1301
create
with
topcent

Aluminium Alloy	Grey	564 × 486 × 71 mm	600 mm	4.1 Kg	1set/1ctns
		664 × 486 × 71 mm	700 mm	4.3 Kg	
		764 × 486 × 71 mm	800 mm	4.6 Kg	
		864 × 486 × 71 mm	900 mm	4.9 Kg	

TROUSERS RACK

MA.1101
create with topcent

Aluminium Alloy	White	mm	mm		
Aluminium Alloy	White	564 × 465 × 61 mm	600 mm	4.0 Kg	1set/ctns
		664 × 465 × 61 mm	700 mm	4.3 Kg	
		764 × 465 × 61 mm	800 mm	4.6 Kg	
		864 × 465 × 61 mm	900 mm	4.9 Kg	

TROUSERS RACK

MA.1201
create
with
topcent

Aluminum alloy+Plastic+Steel	White	mm	mm		1set/ctns
		564 × 440 × 80 mm	600 mm	2.4 Kg	
		664 × 440 × 80 mm	700 mm	2.6 Kg	
		764 × 440 × 80 mm	800 mm	2.8 Kg	
		864 × 440 × 80 mm	900 mm	3.0 Kg	

TROUSERS RACK(SOFT CLOSING)

MA.1109
create
with
topcent

Steel+Plastic	White/Grey	340 × 455 × 140 mm	Top−Mounted	4.1 Kg	1 set/ctn

MA.1209
create
with
topcent

Steel+Plastic	White	340 × 455 × 140 mm	Top−Mounted	3.5 Kg	1 set/ctn

TROUSERS RACK(SOFT CLOSING)

MA.1108
create
with
topcent

Steel+Plastic	White/Grey	630 × 455 × 115 mm	Top−Mounted	4.7 Kg	1 set/ctn

MA.1208
create
with
topcent

Steel+Plastic	White	630 × 455 × 105 mm	Top−Mounted	4.3 Kg	1 set/ctn

TROUSERS RACK

MA.1207
create with topcent

Steel+Plastic	White	350 × 455 × 100 mm	Side−Mounted	2.5 Kg	1 set/ctn

TROUSERS RACK

MA.1107
create with topcent

Steel+Plastic	White/Grey	350 × 455 × 115 mm	Side−Mounted	3.0 Kg	1 set/ctn

IRONING BOARD

MA.5201
create with topcent

Wooden board+Fabric	Beige	295 × 430mm	≥400	8.2Kg	1 set/ctn

CONCEALED SAFF BOX

MA.5801
create with topcent

MA.5802
create with topcent

NO.	TYPE			mm	Kg	mm	
MA5801	Password Type	Zinc Alloy+Cold−Rolled Steel	Black	480 × 400 × 150mm	11Kg	500 mm	1 set/ctn
MA5802	Fingerprint & Password Type			580 × 400 × 150mm	13Kg	600 mm	

TROUSERS RACK + STORAGE BOX

MA.1306
create
with
topcent

Aluminum alloy	Grey	564 × 465 × 61 mm	600 mm	5.3 Kg	1set/ctn
		664 × 465 × 61 mm	700 mm	5.6 Kg	
		764 × 465 × 61 mm	800 mm	5.9 Kg	
		864 × 465 × 61 mm	900 mm	6.2 Kg	

TROUSERS RACK + STORAGE BOX

MA.1112
create
with
topcent

Aluminum alloy	White	mm	mm	Kg	
		564 × 465 × 61 mm	600 mm	5.3 Kg	
		664 × 465 × 61 mm	700 mm	5.6 Kg	1set/ctn
		764 × 465 × 61 mm	800 mm	5.9 Kg	
		864 × 465 × 61 mm	900 mm	6.2 Kg	

TROUSERS RACK + STORAGE BASKET

MA.1307
create with topcent

		mm	mm	kg	
Aluminum alloy	Grey	564 × 465 × 170 mm	600 mm	3.9 Kg	1set/ctn
		664 × 465 × 170 mm	700 mm	4.1 Kg	
		764 × 465 × 170 mm	800 mm	4.3 Kg	
		864 × 465 × 170 mm	900 mm	4.5 Kg	

TROUSERS RACK + STORAGE BASKET

MA.1106
create
with
topcent

		mm	mm	kg	
Aluminum alloy	White	564 × 465 × 170 mm	600 mm	3.9 Kg	1set/ctn
		664 × 465 × 170 mm	700 mm	4.1 Kg	
		764 × 465 × 170 mm	800 mm	4.3 Kg	
		864 × 465 × 170 mm	900 mm	4.5 Kg	

STORAGE BASKET

MA.1302
create
with
topcent

Aluminum alloy+Plastic+Steel	Grey	mm	mm		
		564 × 486 × 185 mm	600 mm	5.6 Kg	
		664 × 486 × 185 mm	700 mm	5.9 Kg	1set/ctns
		764 × 486 × 185 mm	800 mm	6.3 Kg	
		864 × 486 × 185 mm	900 mm	6.6 Kg	

STORAGE BASKET

MA.1104
create
with
topcent

Aluminum alloy+Plastic+Steel	White	mm	mm		
		564 × 465 × 180 mm	600 mm	5.5 Kg	
		664 × 465 × 180 mm	700 mm	5.9 Kg	
		764 × 465 × 180 mm	800 mm	6.4 Kg	1set/ctns
		864 × 465 × 180 mm	900 mm	6.8 Kg	

STORAGE BASKET

MA.1303
create
with
topcent

Aluminum alloy+Plastic+Steel	Grey	564 × 486 × 175 mm	600 mm	5.6 Kg	1set/ctns
		664 × 486 × 175 mm	700 mm	6.0 Kg	
		764 × 486 × 175 mm	800 mm	6.4 Kg	
		864 × 486 × 175 mm	900 mm	6.8 Kg	

STORAGE BASKET

MA.1102
create
with
topcent

		mm	mm	mm	
Aluminum alloy	White	564 × 465 × 170 mm	600 mm	5.5 Kg	1set/ctns
		664 × 465 × 170 mm	700 mm	5.9 Kg	
		764 × 465 × 170 mm	800 mm	6.4 Kg	
		864 × 465 × 170 mm	900 mm	6.8 Kg	

PULL-OUT CLOTHES BASKET

MA.1202
create
with
topcent

Aluminum alloy+Plastic+Steel	White	mm	mm		
		564 × 440 × 155 mm	600 mm	4.3 Kg	
		664 × 440 × 155 mm	700 mm	4.7 Kg	1set/ctns
		764 × 440 × 155 mm	800 mm	5.1 Kg	
		864 × 440 × 155 mm	900 mm	5.5 Kg	

EVOLVE CLOTHES BASKET SET

MA.5701

create
with
topcent

Stainless Steel	Primary Color	1900~2100mm mm	8.7Kg	1set / 2ctns

STORAGE BOX

MA.1205
create
with
topcent

Aluminium Alloy	White/Grey	564 × 440 × 80 mm	600 mm	6.0 Kg	1set/1ctns
		664 × 440 × 80 mm	700 mm	6.7 Kg	
		764 × 440 × 80 mm	800 mm	7.4 Kg	
		864 × 440 × 80 mm	900 mm	8.0 Kg	

STORAGE BOX

MA.1111
create
with
topcent

Aluminium Alloy	White	mm	mm		1set/1ctns
		564 × 465 × 61 mm	600 mm	7.3 Kg	
		664 × 465 × 61 mm	700 mm	7.8 Kg	
		764 × 465 × 61 mm	800 mm	8.4 Kg	
		864 × 465 × 61 mm	900 mm	9.0 Kg	

STORAGE BOX

MA.1305

create
with
topcent

		mm	mm	Kg	
Aluminium Alloy	Grey	564 × 486 × 71 mm	600 mm	6.8 Kg	1set/1ctns
		664 × 486 × 71 mm	700 mm	7.5 Kg	
		764 × 486 × 71 mm	800 mm	8.3 Kg	
		864 × 486 × 71 mm	900 mm	9.1 Kg	

STORAGE BOX

MA.1113
create
with
topcent

		mm	mm		
Aluminium Alloy	White	564 × 465 × 61 mm	600 mm	7.3Kg	1set/1ctns
		664 × 465 × 61 mm	700 mm	7.8Kg	
		764 × 465 × 61 mm	800 mm	8.4Kg	
		864 × 465 × 61 mm	900 mm	9.0Kg	

REVOLVE SHOE RACK

MA.5601
create
with
topcent

⊞	▨	⟷ mm	📦	⚖ kg	◈
		700 × 360 × 790−900 (4层−4Layer)		15.3 Kg	
		700 × 360 × 1070−1270 (6层−6Layer)		19.3 Kg	
Steel+UV	White/Grey	700 × 360 × 1350−1550 (8层−8Layer)	≥800 mm	23.3 Kg	1set / 3ctns
		700 × 360 × 1630−1830 (10层−10Layer)		27.4 Kg	
		700 × 360 × 1910−2110 (12层−12Layer)		31.0 Kg	

SHOE RACK

MA.1304
create
with
topcent

		mm	mm	mm	
Aluminium Alloy	Grey	564 × 486 × 170 mm	600 mm	5.6 Kg	1set/ctn
		664 × 486 × 170 mm	700 mm	6.0 Kg	
		764 × 486 × 170 mm	800 mm	6.4 Kg	
		864 × 486 × 170 mm	900 mm	6.8 Kg	

SHOE RACK

MA.1103
create
with
topcent

		mm	mm	kg	
Aluminum alloy+Iron	Grey	564 × 465 × 165 mm	600 mm	5.56 Kg	1set/ctn
		664 × 465 × 165 mm	700 mm	5.9 Kg	
		764 × 465 × 165 mm	800 mm	6.3 Kg	
		864 × 465 × 165 mm	900 mm	6.7 Kg	

SHOE RACK

MA.1203
create
with
topcent

		mm	mm		
Aluminum alloy+Plastic+Steel	Grey	564 × 440 × 150 mm	600 mm	4.3 Kg	1set/ctn
		664 × 440 × 150 mm	700 mm	4.6 Kg	
		764 × 440 × 150 mm	800 mm	5.1Kg	
		864 × 440 × 150 mm	900 mm	5.4 Kg	

SHOE RACK (WITH 35MM BALL BEARING SLIDE)

MA.1204
create
with
topcent

| Steel	Chrome plated	mm	mm	kg	
Steel	Chrome plated	_____	400~600mm	13 Kg	5set/ctn
		_____	600~1000 mm	14 Kg	4set/ctn

SHOE RACK

Material: PLASTIC(PS)
Finish: Grey/Black
Size: L235 × W130 × T0.8 mm

60pcs/ctn

FE.8102
Create with topcent

Product Size

210
265

Optional Accessory

Material: PLASTIC(PS)
Finish: Grey/Black
Size: L260 × W200 × T0.8 mm

40pcs/ctn

FE.8101
Create with topcent

Product Size

140
235

Optional Accessory

Material: PLASTIC(PS)
Finish: White
Size: L250 × W135 mm

100pcs/ctn

FE.7101
Create with topcent

Product Size

135
192
250

件 Optional Accessory


Material: PLASTIC(PS)
Finish: White/Grey/Black
Size: L260 × W200 mm

50pcs/ctn

FE.7102
Create with topcent

Product Size

200
180
260

Optional Accessory

Material: PLASTIC(PS)
Finish: White/Grey/Black
Size: L260 × W255 mm

50pcs/ctn

FE.7103
Create with topcent

Product Size

Optional Accessory

REVOLVE MIRROR

MA.5302

create with topcent

Aluminum alloy	White/Grey	1000 × 350 mm	----	5.3 Kg	1 set/ctn
		1200 × 350 mm	----	5.9 Kg	

SLIDING MIRROR

MA.5301

create
with
topcent

Aluminum alloy	Satin Grey/Satin Rose Gold	mm	mm	Kg	
		1000 × 350 mm	––––	4.9 Kg	1 set/ctn
		1200 × 350 mm	––––	5.6 Kg	

FUNCTIONAL
LIVING ROOM FITTINGS

FOLDING BED MECHANISM

MC.1101	MC.1103	MC.1104	MC.1201	MC.1202	MC.1303	MC.1501
P167	P167	P168	P168	P169	P169	P170

FOLDING TABLE MECHANISM

MC.2101/2103	MC.2104	MC.2201	MC.2203	MC.2301	MC.2303	MC.2302	MC.2304	MC.2305
P171	P171	P172	P172	P173	P173	P174	P174	P175

MC.3102	MC.3101
P175	P176

FOLDING STOOL MECHANISM

MC.2401	MC.2401
P177	P177

TATAMI

MC.4101	MC.4201	MC.4102
P178	P178	P179

BUILT—IN PNEUMATIC FOLDING BED MECHANISM (FRONT SIDE MOUNTED)

MC.1101
create
with
topcent

Paint grey	A3 Steel	(986—1586) × 2209 × 320 mm	(900—1500) × 2000 × 160 mm	1set/ctn

BUILT—IN PNEUMATIC FOLDING BED MECHANISM WITH BOOK SHELF (FRONT SIDE MOUNTED)

MC.1104
create
with
topcent

| Paint grey	A3 Steel	1600 × 2324 × 452 mm	1500 × 2000 × 160 mm	1set/ctn

BUILT—IN PNEUMATIC FOLDING BED MECHANISM WITH BOOK SHELF (FRONT SIDE MOUNTED)

MC.1103
create
with
topcent

Paint grey	A3 Steel	(1000—1300) × 2320 × 314 mm	(900—1200) × 2000 × 160 mm	1set/ctn

BUILT—IN PNEUMATIC FOLDING BED MECHANISM (SIDE MOUNTED)

MC.1201
create
with
topcent

| Paint grey	A3 Steel	(986—1586) × 2209 × 320 mm	(900—1500) × 2000 × 160 mm	1set/ctn

BUILT–IN PNEUMATIC BED MECHANISM WITH SOFA (SIDE MOUNTED)

MC.1202
create with topcent

Paint grey	A3 Steel	2086 × (1093–1713) × 320 mm	2000 × (900–1500) × 160 mm	1set/ctn

FOLDING BED MECHANISM WITH DESK

MC.1501
create with topcent

Paint grey	A3 Steel	2098 × (1452–2052) × 700 mm	2000 × (900–1500) × 160 mm	1set/ctn

BUILT–IN ELECTRIC FOLDING BED MECHANISM WITH SOFA & BOOK SHELF (FRONT SIDE MOUNTED)

MC.1303
create with topcent

Paint grey	A3 Steel	(1300–1600) × 2086 × 374 mm	2000 × (1200–1500) × 160 mm	1set/ctn

LIFT & FOLDING TABLE MECHANISM

MC.2101
create with topcent

MC.2103
create with topcent

Electrophoretic black	A3 Steel	1 set/ctn

CONCEALED FOLDING TABLE MECHANISM

MC.2201
create with topcent

Paint grey	A3 Steel	1 set/ctn

LIFT & FOLDING TABLE MECHANISM

MC.2104
create with topcent

Electrophoretic black	A3 Steel	1 set/ctn

UPWARD FOLDING TABLE SYSTEM

MC.2203
create with topcent

Stainless+Steel	Stain/Paint	600 mm	1250 mm	650−850 mm	50 Kg	Customizable Size

FUNCTIONAL LIVING ROOM FITTINGS

PULL-OUT FOLDING TABLE SYSTEM

MC.2301
create
with
topcent

Aluminum	Stain	350 mm	1250 mm	600-1000 mm	40 Kg	Customizable Size

PULL-OUT FOLDING TABLE SYSTEM (FOR TALL CABINET)

MC.2303
create
with
topcent

Aluminum	Matt	350 mm	1450 mm	600-1000 mm	40 Kg	Customizable Size

PULL-OUT FOLDING TABLE SYSTEM

MC.2302
create
with
topcent

Aluminum	Matt	350 mm	1450 mm	600-1000 mm	80 Kg	Customizable Size

PULL-OUT TABLE SYSTEM

MC.2304
create
with
topcent

Aluminum	Matt	350 mm	2000 mm	600-1000 mm	80 Kg	Customizable Size

PULL−OUT TABLE SYSTEM

MC.2305
create with topcent

Aluminum	Matt	350 mm	1450 mm	600−1000 mm	40 Kg	Customizable Size

DOWNWARD FOLDING TABLE SYSTEM

MC.2206
create with topcent

Aluminum	Oxidation/Paint	1250 mm	600−800 mm	50 Kg	Customizable Size

MULTI−FUNCTIONAL FOLDING TABLE SYSTEM

MC.2401
create with topcent

790mm
950mm

300mm
770mm
1350m

1500mm
750mm

Steel	Paint	Shelves Size	Table Size		
		1480 × 750 × 800 mm	790 × 300 mm	600−1000 mm	150 Kg

HYDRAULIC FOLDING STOOL

MC.3102
create
with
topcent

Cold−rolled steel	Paint Black	80 Kg

CONCEALED FOLDING STOOL MECHANISM

MC.3101
create
with
topcent

Paint (Black)	A3 Steel	1 set/ctn

ELECTRIC TATAMI

MC.4101
create
with
topcent

Paint (Sliver arev)	Aluminum Alloy	1 set/ctn

MANUAL TATAMI

MC.4201
create
with
topcent

Paint (Sliver arev)	Aluminum Alloy	1 set/ctn

ELECTRIC TATAMI

Controller

Power line

Specification

MC.4102
create
with
topcent

Tabletop area：1000 × 1000 mm
Ascending Weight Capacity：＜50 kg
Descending Weight Capacity：＜1500 kg
Aluminum pillar thickness：3 mm–8 mm
Top steel plate：300 × 300 × 4 mm
Botton steel plate：300 × 300 × 5 mm
Top aluminum：142 mm（outer diameter）
Middle aluminum：128 mm（outer diameter）
Bottom aluminum：118 mm（outer diameter）

| Silver | Champagne | Maple–Pine | White | Beech | Rosewood | Black Walnut | Teak Color |

AType

66.5cm

31cm

Descend to minimum   Ascent to maximum

BType

72cm

34cm

Descend to minimum   Ascent to maximum

CType

78cm

36cm

Descend to minimum   Ascent to maximum

DType

90cm

42cm

Descend to minimum   Ascent to maximum